

## Faculty Publications List (Departmental)

Abouleish AE and Stead SW. Author-created surrogate time intervals misrepresents actual times. *Anesthesiology*. 2012 Aug;117(2):436-7.

Abouleish AE. Evidence does not show that pregnancy is a risk factor for latex allergy. *Anesthesiology*. 2011 Oct;115(4):903-4.

Abouleish AE. Neonatal craniosynostosis. *Anesthesiology*. 2011 Nov; 115(5):1103.

Abouleish AE. The struggling resident: avoiding Pygmalion and learned helplessness by using nontechnical performance assessment systems. *Anesthesiology*. 2010 May;112(5):1067-9.

Ajtay Z, Nemeth A, Sulyok E, Cziraki A, Szabados S, Martens-Lobenhoffer J, Awiszus F, Szabo C, Bode-Böger SM. Effect of stent implementation on plasma levels of asymmetric dimethylarginine in patients with or without ST-segment elevation acute myocardial infarction. *Int J Mol Med*. 2010;25:617-624.

Asmussen S, Bartha E, Olah G, Sbrana E, Rehberg SW, Yamamoto Y, Enkhbaatar P, Hawkins HK, Ito H, Cox RA, Traber LD, Traber DL, Szabo C. The Angiotensin-converting enzyme inhibitor captopril inhibits poly(ADP-ribose) polymerase activation and exerts beneficial effects in an ovine model of burn and smoke injury. *Shock*. 2011 Oct;36(4):402-9.

Asmussen S, Maybauer DM, Fraser JF, Jennings K, George S, Keiralla A, Maybauer MO. Extracorporeal membrane oxygenation in burn and smoke inhalation injury. *Burns*. 2012 Oct 9.

Asmussen S, Maybauer DM, Maybauer MO. Intramuscular versus intravenous benzodiazepines for status epilepticus. *N Engl J Med*. 2012 May 17;366(20):1943-4.

Avila MA, Sell SL, Hawkins BE, Hellmich HL, Boone DR, Crookshanks JM, Prough DS, DeWitt DS. Cerebrovascular connexin expression: effects of traumatic brain injury. *J Neurotrauma*. 2011 Sep;28(9):1803-11.

Bartha E, Asmussen S, Olah G, Rehberg SW, Yamamoto Y, Traber DL, Szabo C. Burn and smoke injury activates poly(ADP-ribose)polymerase in circulating leukocytes. *Shock*. 2011;36:144-148.

Bartha E, Solti I, Szabo A, Olah G, Feher G, Kalai T, Hideg K, Toth K, Gero D, Szabo C, Sumegi B, Halmosi R, Szabados E. Regulation of kinase cascade

activation and heat shock protein expression by poly(ADP-ribose) polymerase in doxorubicin-induced heart failure. *J Cardiovasc Pharmacol*. 2011;58:380-91.

Becker L, Kulkarni S, Tiwari G, Micci MA, Pasricha PJ. Divergent fate and origin of neurosphere-like bodies from different layers of the gut. *Am J Physiol Gastrointest Liver Physiol*. 2012 May 1;302(9):G958-65.

Bohannon J, Cui W, Sherwood E, Toliver-Kinsky T. Dendritic cell modification of neutrophil responses to infection after burn injury. *J Immunol*. 2010 Sep 1;185(5):2847-53.

Boone DR, Sell SL, Hellmich HL. Laser capture microdissection of enriched populations of neurons or single neurons for gene expression analysis after traumatic brain injury. *JoVE In Press* 2013.

Boone DR, Sell SL, Micci MA, Crookshanks JM, Parsley M, Uchida T, Prough DS, DeWitt DS, Hellmich HL. Traumatic brain injury-induced dysregulation of the circadian clock. *PLoS One*. 2012;7(10):e46204.

Boone DR, Sell SL, Micci MA, Crookshanks JM, Parsley MA, Uchida T, Prough DS, DeWitt DS, Hellmich HL. Traumatic Brain Injury-induced Dysregulation of the Circadian Clock. *PLoS One*. 2012; 7(10):e46204, 2012.

Bracht H, Scheuerle A, Gröger M, Hauser B, Matallo J, McCook O, Seifritz A, Wachter U, Vogt JA, Asfar P, Matejovic M, Möller P, Calzia E, Szabo C, Stahl W, Hoppe K, Stahl B, Lampl L, Georgieff M, Wagner F, Radermacher P, Simon F. Effects of intravenous sulfide during resuscitated porcine hemorrhagic shock. *Crit. Care Med*. 2012;40: 2157-67.

Branski LK, Herndon DN, Byrd JF, Kinsky MP, Lee JO, Fagan SP, Jeschke MG, Brauer KI, Brauer LP, Prough DS, Rodhe P, Hahn RG, Traber DL, Traber LD, Svensen CH. Hypoproteinemia does not alter plasma volume expansion in response to a 0.9% saline bolus in awake sheep. *Crit Care Med*. 2010 Oct;38(10):2011-5.

Carness JM, Russell JL, M e Lima R, Navarro LH, Kramer GC. Fluid resuscitation using the intraosseous route: infusion with lactated Ringer's and hetastarch. *Mil Med*. 2012 Feb;177(2):222-8.

Coletta C, Papapetropoulos A, Erdelyi K, Olah G, Modis K, Panopoulos P, Asimakopoulou A, Gerö D, Sharina I, Martin E, Szabo C. Hydrogen sulfide and nitric oxide are mutually dependent in the regulation of angiogenesis and endothelium dependent vasorelaxation. *Proc Natl Acad Sci*. 2012 Jun 5;109(23): 9161-66.

Cortiella J, Niles J, Cantu A, Brettler A, Pham A, Vargas G, Winston S, Wang J, Walls S, Nichols JE. Influence of Acellular Natural Lung Matrix on Murine Embryonic Stem Cell Differentiation and Tissue Formation. *Tissue Eng Part A*. 2010 Aug;16(8):2565-80.

Cziráki A, Ajtay Z, Németh A, Lenkey Z, Sulyok E, Szabados S, Alotti N, Martens-Lobenhoffer J, Szabo C, Bode-Böger SM. Effects of coronary revascularization with or without cardiopulmonary bypass on plasma levels of asymmetric dimethylarginine. *Coron, Artery Dis*. 2011;22:245-52.

Dillon EL, Casperson SL, Durham WJ, Randolph KM, Urban RJ, Volpi E, Ahmad M, Kinsky MP, Sheffield-Moore M. Muscle protein metabolism responds similarly to exogenous amino acids in healthy younger and older adults during NO-induced hyperemia. *Am J Physiol Regul Integr Comp Physiol*. 2011 Nov;301(5):R1408-17.

Elijah IE, Børsheim E, Maybauer DM, Finnerty CC, Herndon DN, Maybauer MO. Role of the PPAR- $\alpha$  agonist fenofibrate in severe pediatric burn. *Burns*. 2012 Jun;38(4):481-6.

Enkhbaatar P, Traber DL. Differential host response to *Burkholderia pseudomallei*: tissue plasminogen activator. *Crit Care Med*. 2012 Jul;40(7):2257.

Enkhbaatar P, Wang J, Saunders F, Lange M, Hamahata A, Rehberg S, Parkinson JF, Traber LD, Herndon DN, Traber DL. Mechanistic aspects of inducible nitric oxide synthase-induced lung injury in burn trauma. *Burns*. 2011 Jun;37(4):638-45.

Gauglitz GG, Toliver-Kinsky TE, Williams FN, Song J, Cui W, Herndon DN, Jeschke MG. Insulin increases resistance to burn wound infection-associated sepsis. *Crit Care Med*. 2010 Jan;38(1):202-8.

Gero D, Szoleczky P, Suzuki K, Modis K, Olah G, Coletta C, Szabo C. Cell-based screening identifies paroxetine as an inhibitor of diabetic endothelial dysfunction. *Diabetes*, in press, 2012. [Epub ahead of print]

Groeger M, Matallo J, McCook O, Wagner F, Wachter U, Bastian O, Gierer S, Reich V, Stahl B, Huber-Lang M, Szabo C, Georgieff M, Radermacher P, Calzia E, Wagner K. Temperature and cell-type dependency of sulfide effects on mitochondrial respiration. *Shock*. 2012;38: 367-74.

Hamahata A, Enkhbaatar P, Hiroyuki S, Morita N, Nakano Y, Lange M, Nozaki M, Traber LD, Traber DL. A novel bronchial artery catheterization technique with preserved blood flow in an ovine model. *Exp Lung Res*. 2010 Apr;36(3):183-9.

Hamahata A, Enkhbaatar P, Lange M, Cox RA, Hawkins HK, Sakurai H, Traber LD, Traber DL. Direct delivery of low-dose 7-nitroindazole into the bronchial artery attenuates pulmonary pathophysiology after smoke inhalation and burn injury in an ovine model. *Shock*. 2011 Dec;36(6):575-9.

Hamahata A, Enkhbaatar P, Lange M, Yamaki T, Nakazawa H, Nozaki M, Sakurai H, Traber LD, Traber DL. Administration of a peroxydinitrite decomposition catalyst into the bronchial artery attenuates pulmonary dysfunction after smoke inhalation and burn injury in sheep. *Shock*. 2012 Nov;38(5):543-8.

Hamahata A, Enkhbaatar P, Lange M, Yamaki T, Sakurai H, Shimoda K, Nakazawa H, Traber LD, Traber DL. Administration of poly(ADP-ribose) polymerase inhibitor into bronchial artery attenuates pulmonary pathophysiology after smoke inhalation and burn in an ovine model. *Burns*. 2012 Dec;38(8):1210-5.

Hamahata A, Enkhbaatar P, Sakurai H, Nozaki M, Traber DL. Sclerosis therapy of bronchial artery attenuates acute lung injury induced by burn and smoke inhalation injury in ovine model. *Burns*. 2010 Nov;36(7):1042-9.

Hawkins BE, Cowart JC, Parsley MA, Capra BA, Eidson KA, Hellmich HL, Dewitt DS, Prough DS. Effects of trauma, hemorrhage and resuscitation in aged rats. *Brain Res*. 2013 Feb 16;1496:28-35.

Hawkins BE, Frederickson CJ, Dewitt DS, Prough DS. Fluorophilia: fluorophore-containing compounds adhere non-specifically to injured neurons. *Brain Res*. 2012 Jan 13;1432:28-35.

Hellmich HL, Rojo DR, Micci MA, Sell SL, Boone DR, Crookshanks JM, Dewitt DS, Masel BE, Prough DS. Pathway analysis reveals common pro-survival mechanisms of metyrapone and carbenoxolone after traumatic brain injury. *PLoS One*. 2013;8(1):e53230.

Hellmich HL, Rojo DR, Micci MA, Sell SL, Boone DR, Crookshanks JM, Dewitt DS, Masel BE, Prough DS. Pathway analysis reveals common pro-survival mechanisms of metyrapone and carbenoxolone after traumatic brain injury. *PLoS One*. 2013;8(1):e53230.

Herzig D, Fang G, Toliver-Kinsky TE, Guo Y, Bohannon J, Sherwood ER. STAT1-deficient mice are resistant to cecal ligation and puncture-induced septic shock. *Shock*. 2012 Oct;38(4):395-402.

Herzig DS, Driver BR, Fang G, Toliver-Kinsky TE, Shute EN, Sherwood ER. Regulation of lymphocyte trafficking by CXC chemokine receptor 3 during septic shock. *Am J Respir Crit Care Med*. 2012 Feb 1;185(3):291-300.

Herzig DS, Guo Y, Fang G, Toliver-Kinsky TE, Sherwood ER. Therapeutic efficacy of CXCR3 blockade in an experimental model of severe sepsis. *Crit Care*. 2012 Sep 19;16(5):R168.

Hoskins SL, do Nascimento P Jr, Lima RM, Espana-Tenorio JM, Kramer GC. Pharmacokinetics of intraosseous and central venous drug delivery during cardiopulmonary resuscitation. *Resuscitation*. 2012 Jan;83(1):107-12.

Howard S, Hermann DG, McQuitty AL, Woodson LC, Kramer GC, Herndon DN, Ford PM, Kinsky MP. Burn-Induced Cardiac Dysfunction Increases Length of Stay in Pediatric Burn Patients. *J Burn Care Res*. 2012 Dec 12.

Howard S, Hermann DG, McQuitty AL, Woodson LC, Kramer GC, Herndon DN, Ford PM, Kinsky MP. Burn-Induced Cardiac Dysfunction Increases Length of Stay in Pediatric Burn Patients. *J Burn Care Res*. 2012 Dec 12

Jacob S, Deyo DJ, Cox RA, Jacob RK, Herndon DN, Traber DL, Hawkins HK. Substance P antagonist CP-96345 blocks lung vascular leakage and inflammation more effectively than its stereoisomer CP-96344 in a mouse model of smoke inhalation and burn injury. *Toxicol Mech Methods*. 2010 May;20(4):197-203.

Jacob S, Zhu Y, Jonkam C, Asmussen S, Traber L, Herndon DN, Palmieri TL, Enkhbaatar P, Traber DL, Hawkins HK, Cox RA. Effect of Bronchodilators on Bronchial Gland Cell Proliferation After Inhalation and Burn Injury in Sheep. *J Burn Care Res*. 2012 Oct 17.

Jonkam C, Zhu Y, Jacob S, Rehberg S, Kraft E, Hamahata A, Nakano Y, Traber LD, Herndon DN, Traber DL, Hawkins HK, Enkhbaatar P, Cox RA. Muscarinic receptor antagonist therapy improves acute pulmonary dysfunction after smoke inhalation injury in sheep. *Crit Care Med*. 2010 Dec;38(12):2339-44.

Jonkam C, Zhu Y, Jacob S, Rehberg S, Traber LD, Herndon DN, Traber DL, Hawkins HK, Enkhbaatar P, Cox RA. Assessment of combined muscarinic antagonist and fibrinolytic therapy for inhalation injury. *J Burn Care Res*. 2012 Jul;33(4):524-31.

Kiss L, Benko R, Kovacs E, Szerafin T, Modis K, Kollai M, Szabo C, Lacza Z. Human internal thoracic artery grafts exhibit severe morphological and functional damage and spasmic vasomotion due to oxidative stress. *Med Sci Mon*. 2011;17:CR411-416.

Koutrouvelis A, Abouleish A, Indrikovs A, Alperin J. Case scenario: emergency reversal of oral anticoagulation. *Anesthesiology*. 2010 Nov;113(5):1192-7.

Kramer GC, Michell MW, Oliveira H, Brown TL, Herndon D, Baker RD, Muller M.

Kulkarni S, Zou B, Hanson J, Micci MA, Tiwari G, Becker L, Kaiser M, Xie XS, Pasricha PJ. Gut-derived factors promote neurogenesis of CNS-neural stem cells and nudge their differentiation to an enteric-like neuronal phenotype. *Am J Physiol Gastrointest Liver Physiol*. 2011 Oct;301(4):G644-55.

Kramer GC, Michell MW, Oliveira H, Brown TL, Herndon D, Baker RD, Muller M. Oral and enteral resuscitation of burn shock the historical record and implications for mass casualty care. *Eplasty*. 2010 Sep 1;10.

Lange M, Connelly R, Traber DL, Hamahata A, Nakano Y, Esechie A, Jonkam C, von Borzyskowski S, Traber LD, Schmalstieg FC, Herndon DN, Enkhbaatar P. Time course of nitric oxide synthases, nitrosative stress, and poly(ADP ribosylation) in an ovine sepsis model. *Crit Care*. 2010 Jul 5;14(4):R129.

Lange M, Cox RA, Enkhbaatar P, Whorton EB, Nakano Y, Hamahata A, Jonkam C, Esechie A, von Borzyskowski S, Traber LD, Traber DL. Predictive role of arterial carboxyhemoglobin concentrations in ovine burn and smoke inhalation-induced lung injury. *Exp Lung Res*. 2011 May;37(4):239-45.

Lange M, Hamahata A, Enkhbaatar P, Cox RA, Nakano Y, Westphal M, Traber LD, Herndon DN, Traber DL. Beneficial effects of concomitant neuronal and inducible nitric oxide synthase inhibition in ovine burn and inhalation injury. *Shock*. 2011 Jun;35(6):626-31.

Lange M, Hamahata A, Traber DL, Connelly R, Nakano Y, Traber LD, Schmalstieg FC, Herndon DN, Enkhbaatar P. Pulmonary microvascular hyperpermeability and expression of vascular endothelial growth factor in smoke inhalation- and pneumonia-induced acute lung injury. *Shock*. 2011 Nov;38(7):1072-8.

Lange M, Hamahata A, Traber DL, Cox RA, Kulp GA, Nakano Y, Traber LD, Herndon DN, Enkhbaatar P. Preclinical evaluation of epinephrine nebulization to reduce airway hyperemia and improve oxygenation after smoke inhalation injury. *Crit Care Med*. 2011 Apr;39(4):718-24.

Lange M, Hamahata A, Traber DL, Esechie A, Jonkam C, Bansal K, Nakano Y, Traber LD, Enkhbaatar P. A murine model of sepsis following smoke inhalation injury. *Biochem Biophys Res Commun*. 2010 Jan 15;391(3):1555-60.

Lange M, Hamahata A, Traber DL, Nakano Y, Esechie A, Jonkam C, Whorton EB, von Borzyskowski S, Traber LD, Enkhbaatar P. Effects of early neuronal and delayed inducible nitric oxide synthase blockade on cardiovascular, renal, and hepatic function in ovine sepsis. *Anesthesiology*. 2010 Dec;113(6):1376-84.

Lange M, Hamahata A, Traber DL, Nakano Y, Traber LD, Enkhbaatar P. Specific inhibition of nitric oxide synthases at different time points in a murine

model of pulmonary sepsis. *Biochem Biophys Res Commun*. 2011 Jan 21;404(3):877-81.

Lange M, Nakano Y, Traber DL, Hamahata A, Esechie A, Jonkam C, Bansal K, Traber LD, Enkhbaatar P. Role of different nitric oxide synthase isoforms in a murine model of acute lung injury and sepsis. *Biochem Biophys Res Commun*. 2010 Aug 20;399(2):286-91.

Lange M, Nakano Y, Traber DL, Hamahata A, Traber LD, Enkhbaatar P. Time course of the inflammatory and oxidative stress response to pulmonary infection in mice. *Exp Lung Res*. 2012 Apr;38(3):157-63.

Lange M, Szabo C, Enkhbaatar P, Connelly R, Horvath E, Hamahata A, Cox RA, Esechie A, Nakano Y, Traber LD, Herndon DN, Traber DL. Beneficial pulmonary effects of a metalloporphyrinic peroxynitrite decomposition catalyst in burn and smoke inhalation injury. *Am J Physiol Lung Cell Mol Physiol*. 2011 Feb;300(2):L167-75.

Lange M, Szabo C, Traber DL, Horvath E, Hamahata A, Nakano Y, Traber LD, Cox RA, Schmalstieg FC, Herndon DN, Enkhbaatar P. Time profile of oxidative stress and neutrophil activation in ovine acute lung injury and sepsis. *Shock*. 2012 May;37(5):468-72.

Li Y, Hawkins BE, DeWitt DS, Prough DS, Maret W. The relationship between transient zinc ion fluctuations and redox signaling in the pathways of secondary cellular injury: relevance to traumatic brain injury. *Brain Res*. 2010 May 12;1330:131-41.

Lohinai Z, Keremi B, Szoko E, Tabi T, Szabo C, Tulassay Z, Levine M. Bacterial lysine decarboxylase influences human dental biofilm lysine content, biofilm accumulation and sub-clinical gingival inflammation. *J. Periodontol*. 2012;83:1048-56.

Management of acute smoke inhalation injury. *Crit Care Resusc*. 2010 Mar;12(1):53-61.

Marazioti Am Bucci M, Baskaran P, Szabo C, Cirino G, Marques AR, Guerreiro BH, Seixas JD, Beuve A, Romao C, Papapetropoulos A. Interactions between carbon monoxide releasing molecules and nitric oxide donors in vascular tissues. *Arterioscl Thromb Vasc Biol*. 2011;31:2570-76.

Masel BE, Bell RS, Brossart S, Grill RJ, Hayes RL, Levin HS, Rasband MN, Ritzel DV, Wade CE, DeWitt DS. Galveston Brain Injury Conference 2010: clinical and experimental aspects of blast injury. *J Neurotrauma*. 2012 Aug 10;29(12):2143-71.

Masel BE, DeWitt DS. Traumatic brain injury: a disease process, not an event. *J Neurotrauma*. 2010 Aug;27(8):1529-40.

Maybauer DM, Maybauer MO, Szabó C, Cox RA, Westphal M, Kiss L, Horvath EM, Traber LD, Hawkins HK, Salzman AL, Southan GJ, Herndon DN, Traber DL. The peroxy-nitrite catalyst WW-85 improves pulmonary function in ovine septic shock. *Shock*. 2011 Feb;35(2):148-55.

Maybauer DM, Maybauer MO, Szabó C, Westphal M, Traber LD, Salzman AL, Herndon DN, Traber DL. The peroxy-nitrite catalyst WW-85 improves microcirculation in ovine smoke inhalation injury and septic shock. *Burns*. 2011 Aug;37(5):842-50.

Maybauer DM, Megna M, Kafka G, Maybauer MO. [Hurricane Ike and the University of Texas Medical Branch Hospital's evacuation]. *Anaesthetist*. 2009 Dec;58(12):1244-51.

Maybauer MO, Geisser W, Wolff H, Maybauer DM. Incidence and outcome of tube thoracostomy positioning in trauma patients. *Prehosp Emerg Care*. 2012 Apr-Jun;16(2):237-41.

Maybauer MO, Maybauer DM, Fraser JF, Szabo C, Westphal M, Kiss L, Horvath EM, Nakano Y, Herndon DN, Traber LD, Traber DL. Recombinant human activated protein C attenuates cardiovascular and microcirculatory dysfunction in acute lung injury and septic shock. *Crit Care*. 2010;14(6):R217.

Maybauer MO, Maybauer DM, Fraser JF, Westphal M, Szabó C, Cox RA, Hawkins HK, Traber LD, Traber DL. Combined recombinant human activated protein C and ceftazidime prevent the onset of acute respiratory distress syndrome in severe sepsis. *Shock*. 2012 Feb;37(2):170-6.

Maybauer MO, Maybauer DM. Vasopressin analogues and V1a receptor agonists in septic shock. *Inflamm Res*. 2011 May;60(5):425-7.

Maybauer MO, Walley KR. Best vasopressor for advanced vasodilatory shock: should vasopressin be part of the mix? *Intensive Care Med*. 2010 Sep;36(9):1484-7.

Melo ES, Goloubkova T, Barbeiro DF, Gorjão R, Vasconcelos D, Szabo C, Curi R, de Lima Salgado TM, Velasco IT, Soriano FG. Endotoxin tolerance: Selective alterations in gene expression and protection against lymphocyte death. *Immunobiology*. 2010;215:435-42.

Modis K, Coletta C, Erdelyi K, Papapetropoulos A, Szabo C. Intramitochondrial hydrogen sulfide production by 3-mercaptapurine sulfurtransferase maintains mitochondrial electron flow and supports cellular bioenergetics. *FASEB J*. 2013 Feb;27(2):601-11.



Modis K, Gero D, Erdélyi K, Szoleczky P, DeWitt D, Szabo C. Cellular bioenergetics is regulated by PARP1 under resting conditions and during oxidative stress. *Biochem Pharmacol.* 2012;83:633-43.

Morita N, Enkhbaatar P, Maybauer DM, Maybauer MO, Westphal M, Murakami K, Hawkins HK, Cox RA, Traber LD, Traber DL. Impact of bronchial circulation on bronchial exudates following combined burn and smoke inhalation injury in sheep. *Burns.* 2011 May;37(3):465-73.

Nakano Y, Maybauer MO, Maybauer DM, Enkhbaatar P, Traber DL. A novel antibiotic based long-term model of ovine smoke inhalation injury and septic shock. *Burns.* 2010 Nov;36(7):1050-8.

Navarro LH, Lima RM, Khan M, Dominguez WG, Voigt RB, Kinsky MP, Mileski WJ, Kramer GC. Continuous measurement of cerebral oxygen saturation (rSO<sub>2</sub>) for assessment of cardiovascular status during hemorrhagic shock in a swine model. *J Trauma Acute Care Surg.* 2012 Aug;73(2 Suppl 1):S140-6.

Nguyen M, Wilkes D. Pulsed radiofrequency V2 treatment and intranasal sphenopalatine ganglion block: a combination therapy for atypical trigeminal neuralgia. *Pain Pract.* 2010 Jul-Aug;10(4):370-4.

Nguyen NH, Morvant EM, Mayhew JF. Anesthetic management for patients with arthrogryposis multiplex congenita and severe micrognathia: case reports. *J Clin Anesth.* 2000 May;12(3):227-30.

Nichols JE, Niles J, Walls S, Cortiella J. In vitro human bone marrow analog: clinical potential. *Regen Med.* 2010 Mar;5(2):289-98.

Nichols JE, Niles JA, Cortiella J. Production and utilization of acellular lung scaffolds in tissue engineering. *J Cell Biochem.* 2012 Jul;113(7):2185-82.

Nichols JE, Niles JA, DeWitt, D, Prough D, Parsley M, Vega S, Cantu A, Lee E, Cortiella J. Neurogenic and neuro-protective potential of a novel subpopulation of peripheral blood-derived CD133+ ABCG2+CXCR4+ mesenchymal stem cells: development of autologous cell-based therapeutics for traumatic brain injury. *Stem Cell Res Ther.* 2013 Jan;4(1)3.

Olah G, Finnerty C, Sbrana E, Elijah I, Gero D, Herndon DN, Szabo C. Increased poly(ADP-ribosyl)ation in skeletal muscle tissue of pediatric patients with severe burn injury: prevention by propranolol treatment. *Shock.* 2011;36:18-23.

Olah G, Modis K, Gero D, Suzuki K, DeWitt D, Traber DL, Szabo C. Cytoprotective effect of  $\gamma$ -tocopherol against tumor necrosis factor- $\alpha$  induced cell dysfunction in L929 cells. *Int J Mol Med*. 2011;28: 711-720.

Osipov R, Robich MP, Feng J, Chan V, Clements RT, Deyo RJ, Szabo C, Sellke FW. Effect of hydrogen sulfide on myocardial protection in the setting of cardioplegia and cardiopulmonary bypass. *Interact. Cardiovasc Thorac Surg*. 2010;10:506-512.

Ozsvari B, Puskas LG, Nagy LI, Kanizsai I, Gyuris M, Madacsi R, Feher LZ, Gerö D, Szabo C. Identification of novel cytoprotective compounds via cell-based high throughput screening based on a cell-microelectronic sensing technique. *Int J Mol Med*. 2010;25:525-530.

Petrov IY, Petrov Y, Prough DS, Cicenaitė I, Deyo DJ, Esenaliev RO. Optoacoustic monitoring of cerebral venous blood oxygenation through intact scalp in large animals. *Opt Express*. 2012 Feb 13;20(4):4159-67.

Petrov IY, Petrov Y, Prough DS, Deyo DJ, Cicenaitė I, Esenaliev RO. Optoacoustic monitoring of cerebral venous blood oxygenation through extracerebral blood. *Biomed Opt Express*. 2012 Jan 1;3(1):125-36.

Prough DS, Enkhbaatar P, Szabo C. 'Professor Galveston' has departed. *Obituary - Daniel Traber*. *Crit Care*. 2012 Nov 8;16(6):169.

Prough DS, Esenaliev R. Monitoring the brain to save the kidneys. *Crit Care Med*. 2013 Feb;41(2):671-2.

Przkora R, Euliano TY, Roussos Ross K, Zumberg M, Robicsek SA. Labor and Delivery in a Patient with Hemophilia B *Int J Obstet Anesth* 2011;20(3):250-3.

Przkora R, Martin TD, Hess PJ, Kulkarni RS. Intrathecal Morphine in Two Patients Undergoing Deep Hypothermic Circulatory Arrest during Aortic Surgery. *Korean J Anesthesiol* 2012; 63(6): 563-6.

Radovits T, Beller CJ, Grove JT, Merkely B, Karck M, Szabo C, Szabo G. Effects of FP15, a peroxy-nitrite decomposition catalyst on cardiac and pulmonary function after cardiopulmonary bypass. *Eur J Cardiothorac Surg*. 2012;41:391-6.

Rehberg S, Enkhbaatar P, Cox RA, Traber DL. Coagulopathy after burn and smoke inhalation injury: the evidence is there, let's take advantage of it! *J Trauma Acute Care Surg*. 2012 Apr;72(4):1121-2.

Rehberg S, Enkhbaatar P, Rehberg J, La E, Ferdyan N, Qi S, Wisniewski K, Traber LD, Schteingart CD, Rivière PJ, Laporte R, Traber DL. Unlike arginine vasopressin, the selective V1a receptor agonist FE 202158 does not cause

procoagulant effects by releasing von Willebrand factor. *Crit Care Med.* 2012 Jun;40(6):1957-60.

Rehberg S, Enkhbaatar P, Traber DL. AMP-activated protein kinase signaling pathway in toxic smoke inhalation injury: nice to demonstrate, nice to know, but is there a therapeutic relevance? *Crit Care Med.* 2013 Jan;41(1):349-50.

Rehberg S, Maybauer MO, Enkhbaatar P, Maybauer DM, Yamamoto Y, Traber DL. Pathophysiology, management and treatment of smoke inhalation injury. *Expert Rev Respir Med.* 2009 Jun 1;3(3):283-297.

Rehberg S, Maybauer MO, Maybauer DM, Traber LD, Enkhbaatar P, Traber DL. The role of nitric oxide and reactive nitrogen species in experimental ARDS. *Front Biosci (Schol Ed).* 2010 Jan 1;2:18-29.

Rehberg S, Thiemermann C, Maybauer MO. Role of chelatable iron versus myoglobin in oxidative stress after crush trauma. *Shock.* 2010 May;33(5):552-3.

Rehberg S, Yamamoto Y, Sousse L, Bartha E, Jonkam C, Hasselbach AK, Traber LD, Cox RA, Westphal M, Enkhbaatar P, Traber DL. Selective V(1a) agonism attenuates vascular dysfunction and fluid accumulation in ovine severe sepsis. *Am J Physiol Heart Circ Physiol.* 2012 Nov 15;303(10):H1245-54.

Roesner JP, Mersmann J, Bergt S, Bohnenberg K, Barthuber C, Szabo C, Nöldge-Schomburg GEF, Zacharowski K: Therapeutic injection of PARP inhibitor INO-1001 preserves cardiac function in porcine myocardial ischemia and reperfusion without reducing infarct size. *Shock.* 2010;33:507-512.

Rojo DR, Prough DS, Falduto MT, Boone DR, Micci MA, Kahrig KM, Crookshanks JM, Jimenez A, Uchida T, Cowart JC, Hawkins BE, Avila M, DeWitt DS, Hellmich HL. Influence of stochastic gene expression on the cell survival rheostat after traumatic brain injury. *PLoS One.* 2011;6(8):e23111.

Rojo DR, Prough DS, Falduto MT, Boone DR, Micci MA, Kahrig KM, Crookshanks JM, Jimenez A, Uchida T, Cowart JC, Hawkins BE, Avila M, DeWitt DS, Hellmich HL. Influence of stochastic gene expression on the cell survival rheostat after traumatic brain injury. *PLoS One.* 2011;6(8):e23111.

Romero CR, Herzig DS, Etogo A, Nunez J, Mahmoudizad R, Fang G, Murphey ED, Toliver-Kinsky T, Sherwood ER. The role of interferon- $\gamma$  in the pathogenesis of acute intra-abdominal sepsis. *J Leukoc Biol.* 2010 Oct;88(4):725-35.

Salinas J, Nguyen R, Darrah M, Kramer G, Serio-Melvin M. Advanced Monitoring and Decision Support for Battlefield Critical Care Environment. *US Army Medical Department Journal*; 73-81, 2011.

Salinas, J, Chung, K, Mann, E, Cancio, LC, Kramer, GC, Serio-Melvin, ML, Renz, EM, Wade, CE, and Wolf, SE. Computerized Decision Support System Improves Fluid Resuscitation Following Severe Burns. *Critical Care Medicine*. 2011;39(9):2031-38.

Sallam HS, Kramer GC, Chen JDZ. Gastric Emptying and Intestinal Transit of Various Enteral Feedings Following Severe Burn Injury. *Dig Dis Sci*. 2011;56: 3172-3178.

Sarnaik AA, Conley YP, Okonkwo DO, Barr TL, Fink EL, Szabo C, Kochanek PM, Clark RSB. Genotype-phenotype relationship of PARP-1 polymorphisms after traumatic brain injury. *J Neurotrauma*. 2010;27:465-471.

Sasselli V, Micci MA, Kahrig KM, Pasricha PJ. Evaluation of ES-derived neural progenitors as a potential source for cell replacement therapy in the gut. *BMC Gastroenterol*. 2012 Jun 26;12:81

Saunders FD, Westphal M, Enkhbaatar P, Wang J, Pazdrak K, Nakano Y, Hamahata A, Jonkam CC, Lange M, Connelly RL, Kulp GA, Cox RA, Hawkins HK, Schmalstieg FC, Horvath E, Szabo C, Traber LD, Whorton E, Herndon DN, Traber DL. Molecular biological effects of selective neuronal nitric oxide synthase inhibition in ovine lung injury. *Am J Physiol Lung Cell Mol Physiol*. 2010 Mar;298(3):L427-36.

Simon F, Scheuerle A, Groger M, McCook O, Stahl B, Wachter U, Vogt J, Speit G, Hauser B, Moller B, Calzia E, Szabo C, Schelzig H, Georgieff M, Radermacher P, Wagner F. Effects of parenteral H<sub>2</sub>S during porcine aortic occlusion-induced kidney ischemia-reperfusion injury: a prospective randomized controlled trial. *Shock*. 2010;35:156-63.

Simon F, Scheuerle A, Groger M, McCook O, Stahl B, Wachter U, Vogt J, Speit G, Hauser B, Moller P, Calzia E, Szabo C, Schelzig H, Georgieff M, Radermacher P, Wagner F. Effects of parenteral hydrogen sulfide during porcine aortic occlusion-induced kidney ischemia/reperfusion injury: a prospective, randomized trial. *Crit Care*. 2010;38:588-595.

Soriano FG, Lorigados CB, Pacher P, Szabo C. Effects of a potent peroxynitrite decomposition catalyst in murine models of endotoxemia and sepsis. *Shock*. 2011;35:560-566.

Sousse LE, Jonkam CC, Traber DL, Hawkins HK, Rehberg SW, Traber LD, Herndon DN, Enkhbaatar P. *Pseudomonas aeruginosa* is associated with increased lung cytokines and asymmetric dimethylarginine compared with methicillin-resistant *Staphylococcus aureus*. *Shock*. 2011 Nov;36(5):466-70.

Sousse LE, Yamamoto Y, Enkhbaatar P, Rehberg SW, Wells SM, Leonard S, Traber MG, Yu YM, Cox RA, Hawkins HK, Traber LD, Herndon DN, Traber DL. Acute lung injury-induced collagen deposition is associated with elevated asymmetric dimethylarginine and arginase activity. *Shock*. 2011 Mar;35(3):282-8.

Stangl R, Szijarto A, Onody P, Tamas J, Tatrai M, Hegedus V, Blazovics A, Lotz G, Kiss A, Gero D, Szabo C. Long-term glutamine pre-treatment in a rat liver ischemia-reperfusion model. *J Surg Res*. 2011;166:95-103.

Stenton GR, Mackenzie LF, Tam P, Cross JL, Harwig C, Raymond J, Toews J, Wu J, Ogden N, Macrury T, Szabo C. Characterization of AQX-1125, a small molecule SHIP1 activator Part 1. Effects on inflammatory cell activation and chemotaxis in vitro and pharmacokinetic characterization in vivo. *Br J Pharmacol*. 2012 Nov 2. [Epub ahead of print]

Stephens CT, Uwaydah N, Kramer GC, Prough DS, Salter M, Kinsky MP. Vascular and extravascular volume expansion of dobutamine and norepinephrine in normovolemic sheep. *Shock*. 2011 Sep;36(3):303-11.

Suzuki K, Olah G, Modis K, Coletta C, Kulp G, Gero D, Szoleczky P, Chang T, Zhou Z, Wu L, Wang R, Papapetropoulos A, Szabo C. Hydrogen sulfide replacement therapy protects the vascular endothelium in hyperglycemia by preserving mitochondrial function. *Proc Natl Acad Sci USA*. 2011;108: 13829-34.

Szabo G, Loganathan S, Merkely B, Groves JT, Karck M, Szabo C, Radovits T: Catalytic peroxynitrite decomposition improves reperfusion injury after heart transplantation. *J Thorac Cardiovasc Surg*. 2012;143: 1443-9.

Szabo G, Veres G, Radovits T, Gero D, Modis K, Miesel-Gröschel C, Horkay F, Karck M, Szabo C. Therapeutic administration of hydrogen sulfide protects against myocardial and endothelial reperfusion injury after hypothermic cardiac arrest. *Nitric Oxide Biol. Chem*. 2011;25:201-210.

Szoleczky P, Modis K, Nagy N, Dori Toth Z, DeWitt D, Szabo C, Gero D. Identification of agents that reduce renal hypoxia-reoxygenation injury using cell-based screening: purine nucleosides are alternative energy sources in LLC-PK1 cells during hypoxia. *Arch. Biochem Biophys*. 2012;517:53-70.

The Angiotensin-converting enzyme inhibitor captopril inhibits poly(ADP-ribose) polymerase activation and exerts beneficial effects in an ovine model of burn and smoke injury. *Shock*. 2011 Oct;36(4):402-9.

Toews J, Chernoff D, Macrury T, Szabo C. Characterization of AQX-1125, a small molecule SHIP1 activator Part 2. Efficacy studies in allergic and pulmonary inflammation models in vivo. *Br J Pharmacol*. 2012 Nov 2. [Epub ahead of print]

Toombs CT, Insko MA, Wintner EA, Deckwerth TD, Usansky H, Jamil K, Goldstein B, Cooreman M, Szabo C: Detection of exhaled hydrogen sulfide gas in healthy human volunteers during intravenous administration of sodium sulfide. *Br J Clin Pharmacol*. 2010;69:626-636.

Toon MH, Maybauer DM, Arceneaux LL, Fraser JF, Meyer W, Runge A, Maybauer MO. Children with burn injuries--assessment of trauma, neglect, violence and abuse. *J Inj Violence Res*. 2011 Jul;3(2):98-110.

Toon MH, Maybauer MO, Greenwood JE, Maybauer DM, Fraser JF. Transpulmonary thermodilution for hemodynamic measurements in severely burned children. *Crit Care*. 2011;15(2):R118.

Tucsek Z, Gautam T, Sonntag WE, Toth P, Saito H, Salomao R, Szabo C, Csiszar A, Ungvari Z. Aging exacerbates microvascular endothelial damage induced by circulating factors present in the serum of septic patients. *J Gerontol Biol Sci*. 2012 Nov 26. "InPress".

Wagner F, Scheuerle A, Weber S, Stahl B, McCook O, Knoferl MW, Huber-Lang M, Seitz DH, Thomas J, Asfar P, Szabo C, Moller P, Gebhard F, Georgieff M, Calzia E, Radermacher P, Wagner K. Cardiopulmonary, histological and inflammatory effects of intravenous H<sub>2</sub>S after blunt chest trauma-induced lung contusion in mice. *J Trauma*. 2011;71:1659-67.

Wang E, Gao J, Yang Q, Parsley MO, Dunn TJ, Zhang L, DeWitt DS, Denner L, Prough DS, Wu P. Molecular mechanisms underlying effects of neural stem cells against traumatic axonal injury. *J Neurotrauma*. 2012 Jan 20;29(2):295-312.

Westphal M, Rehberg S, Maybauer MO, Maybauer DM, Enkhbaatar P, Westphal-Varghese BB, Schmalstieg FC, Morita N, Cox RA, Traber LD, Hawkins H, Whorton E, Traber DL. Cardiopulmonary effects of low-dose arginine vasopressin in ovine acute lung injury. *Crit Care Med*. 2011 Feb;39(2):357-63.

Wilkes D, Cook M, and Solanki D., Intrathecal Catheter-Syringe Adaptor for Short-Term Intrathecal Analgesia with an Externalized Pump: A Case Report. *Pain Physician*. 2010 Mar-Apr;13:151-156.

Wilkes D, Li G, Angeles CF, Patterson JT, Huang LY. A large animal neuropathic pain model in sheep: a strategy for improving the predictability of preclinical models for therapeutic development. *J Pain Res*. 2012;5:415-24.

Wintner EA, Deckwerth TD, Langston W, Bengtsson A, Leviten D, Hill P, Insko MA, VanderEckart E, Toombs CF, Szabo C. A monobromobimane-based assay to measure the pharmacokinetic profile of reactive sulfide species in biological

matrices: comparison of intravenous sodium sulfide infusion to controlled inhalation of hydrogen sulfide. *Br J Pharmacol.* 2010;160:941-957.

Wu P, Zhao Y, Haidacher SJ, Wang E, Parsley MO, Gao J, Sadygov RG, Starkey JM, Luxon BA, Spratt H, Dewitt DS, Prough DS, Denner L. Detection of Structural and Metabolic Changes in Traumatically Injured Hippocampus by Quantitative Differential Proteomics. *J Neurotrauma.* 2012 Sep 20.

Yamamoto Y, Enkhbaatar P, Sakurai H, Rehberg S, Asmussen S, Ito H, Sousse LE, Cox RA, Deyo DJ, Traber LD, Traber MG, Herndon DN, Traber DL. Development of a long-term ovine model of cutaneous burn and smoke inhalation injury and the effects of early excision and skin autografting. *Burns.* 2012 Sep;38(6):908-16.

Yamamoto Y, Sousse LE, Enkhbaatar P, Kraft ER, Deyo DJ, Wright CL, Taylor A, Traber MG, Cox RA, Hawkins HK, Rehberg SW, Traber LD, Herndon DN, Traber DL.  $\gamma$ -tocopherol nebulization decreases oxidative stress, arginase activity, and collagen deposition after burn and smoke inhalation in the ovine model. *Shock.* 2012 Dec;38(6):671-6.

Zhou Z, von Wantoch Rekowski M, Coletta C, Szabo C, Bucci M, Cirino G, Topouzis S, Papapetropoulos A, Giannis A. Thioglycine and L-thiovaline: Biologically active H<sub>2</sub>S-donors. *Bioorg Med Chem.* 2012 20:2675-8, 2012.